## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	64156	calibrat\$4 same offset sme drill\$4 same (reference template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 16:25
L2	28	calibrat\$4 same offset same drill\$4 same (reference template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 16:25
L3	230	"5337002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 16:40
L4	0	"5337002.pn."	USPAT	OR	ON	2008/09/18 16:41
L5	1	"5337002".pn.	USPAT	OR	ON	2008/09/18 16:41
L6	41	CNC with calibrat\$3	USPAT	OR	ON	2008/09/18 16:53
L7	0	CNC with calibrat\$3 and (reference sample template) near2 hole	USPAT	OR	ON	2008/09/18 16:59
L8	19	CNC and calibrat\$3 and (reference sample template) near2 hole	USPAT	OR	ON	2008/09/18 16:59
L9	7	CNC and calibrat\$3 and (reference sample template) near hole	USPAT	OR	ON	2008/09/18 16:59
L10	22	CNC and calibrat\$3 and (reference sample template workpiece) near hole	USPAT	OR	ON	2008/09/18 17:02
L11	22	CNC and calibrat\$3 and (reference sample template workpiece) near hole	USPAT	OR	ON	2008/09/18 17:15
L12	41	CNC with calibrat\$4	USPAT	OR	ON	2008/09/18 17:15
L13	150	"5337002"	USPAT	OR	ON	2008/09/18 17:15

L14	7	"6325576"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:15
L15	18	vassard.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:17
L16	3	vassard in. and calibrat \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:17
L17	3	"7191030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:20
L18	0	("7191030").URPN.	USPAT	OR	ON	2008/09/18 17:21
L19	3	("6332827"   "6722944"   "6813536").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/18 17:21
L20	0	"2001016786"	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/18 17:28
L21	4	"2001016786"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:28
L22	26	Maki near Shinji	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:29
L <b>2</b> 3	4	Maki near Shinji and (calibrat\$4 offset near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:32
SI	2	"20070062271"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 04:10

<b>S</b> 2	5437	ophthalmic near lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 04:15
S3	12	ophthalmic near lens near drill\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 04:16
S4	2	ophthalmic near lens near drill\$4 and calibrat \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 04:19
S5	4	ophthalmic near2 drill \$4 and calibrat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 04:20
S6	4	ophthalmic with drill\$4 with calibrat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 04:21
S7	12	ophthalmic with drill\$4 and calibrat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 04:21
<b>S</b> 8	3449	ophthalmic and calibrat \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 06:23
S9	139	ophthalmic with calibrat \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 06:23
S10	139	ophthalmic with calibrat \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 06:23
S11	139	ophthalmic with calibrat \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/09/17 06:24

S12	8	ophthalmic with calibrat \$4 and reference adj mark	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 06:24
S13	2	ophthalmic with calibrat \$4 and reference adj mark and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 06:24
S14	7	ophthalmic with calibrat \$4 and reference adj mark and (mean averag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 06:39
S15	132	ophthalmic with calibrat \$4 not S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 06:41
S16	47	ophthalmic with calibrat \$4 and offset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 06:42
S17	9	ophthalmic with calibrat \$4 and drill\$4 and lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 06:57
S18	5	ophthalmic with calibrat \$4 and offset and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 07:58
S19	233	drilling with calibrat\$4 same holes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:28
S20	4	drilling with calibrat\$4 same holes same light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:28
S21	123799	drilling with calibrat\$4 two near2 holes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/09/17 08:29

S22	56517	drilling with calibrat\$4 two near holes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:29
S23	5	drilling with calibrat\$4 with two near holes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:30
S24	6	(drilling bor\$4 mill\$4) with calibrat\$4 with two near holes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:30
S25	7	(drilling bor\$4 mill\$4) with calibrat\$4 same two near holes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:31
<b>S2</b> 6	1	(drilling bor\$4 mill\$4) with calibrat\$4 same two near holes not \$24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:31
<b>S</b> 27	5674	(drilling bor\$4 mill\$4) with calibrat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:32
<b>S</b> 28	147	(drilling bor\$4 mill\$4) with calibrat\$4 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:33
S29	10	(drilling bor\$4 mill\$4) with calibrat\$4 same template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:34
\$30	499	(drilling bor\$4 mill\$4) with calibrat\$4 and programmable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:39
S31	226	(drilling bor\$4 mill\$4) with calibrat\$4 and programmable and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:40

S32	199	(drilling bor\$4 mill\$4) with calibrat\$4 and programmable and camera and offset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:40
S33	191	(drilling bor\$4 mill\$4) with calibrat\$4 and programmable and camera and offset and (glass lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:41
S34	190	(drilling bor\$4 mill\$4) with calibrat\$4 and programmable and camera and offset and compensat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:41
<b>S</b> 35	10	(drilling bor\$4 mill\$4) with calibrat\$4 and programmable and camera and offset with compensat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:41
S36	0	(drilling bor\$4 mill\$4) with calibrat\$4 and programmable and camera and determin \$7 with offset with compar\$4 with locat\$4	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:51
<b>S</b> 37	0	(drilling bor\$4 mill\$4) with calibrat\$4 and programmable and determin\$7 with offset with compar\$4 with locat\$4	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:51
S38	168	(drilling bor\$4 mill\$4) with calibrat\$4 and programmable and determin\$7 with compar\$4 with locat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:51
S39	94	(drilling bor\$4 mill\$4) with calibrat\$4 and programmable and determin\$7 with compar\$4 with locat\$4 not "Printing cartridge"	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:54
S40	7	(drilling bor\$4 mill\$4) with calibrat\$4 and programmable and determin\$7 with compar\$4 with locat\$4 not "Printing cartridge" not ink	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:55

S41	43	(drilling bor\$4 mill\$4) near machine and calibrat\$4 with compar \$4 with locat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 08:56
S42	161	\$38 not \$41 not \$40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 09:01
S43	0	S38 not S41 not S40 not CCD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 09:01
S44	36	S32 not S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 09:01
<b>S</b> 45	7	S32 not S38 not analog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 09:03
S46	10	S31 not S32 not analog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 09:06
S47	136	S30 not S31 not analog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 09:08
S48	10	("2413084"   "3568367"   "3813820"   "3827189"   "3828479"   "4198180"   "4955763"   "5028176") .PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/17 09:15
S49	5	("5152641").URPN.	USPAT	OR	ON	2008/09/17 09:19
S50	3171	((drilling bor\$4 mill\$4) and calibrat\$4).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/09/17 09:39

S51	29	((drilling bor\$4 mill\$4) and calibrat\$4 and measur\$4 and offset). ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 09:40
S52	4	"6415644"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 09:42
S53	2329	702/85-95.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:01
S54	54	702/85-95.cds. and (milling drilling boring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:01
<b>S</b> 55	35	702/85-95.ccls. and (milling drilling boring) and calibrat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:02
S56	14	702/85-95.ccls. and (milling drilling boring) and calibrat\$4 not sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:03

<sup>9/18/2008 6:31:30</sup> PM

C:\ Documents and Settings\ schang\ Desktop\ ShortCuts\  $10,5xx,xxx \ 10,574,980 \ 10,574,980.$  wsp